



ELECTRIC TRICKLE DUSTERS

OVERVIEW:

The Matrix trickle duster fluidizes through the use of air vibrators, which allows for better clean out and longer dust time. The motor is directly coupled to the blower, which eliminates belt problems. This duster is one of the simplest to operate and maintain.

The Matrix **Typhoon** trickle duster has a 1,000 lb. capacity. Also available in 400 lb. capacity.

FEATURES / SPECIFICATIONS:

- Direct drive 5 hp 480V or 575V
- In-tank air vibrators
- Up to 10 lbs/min of dust through 400' of 2" hose
- Check valve protection for blower
- Model 33 Roots style blower with air filter
- Skid (Wheels can be optional)
- 28" skid-mounted frame height
- 56" long x 30" wide
- Weight: Approx. 500 lbs.
- Matrix service and support



Typhoon Trickle Duster
1,000 Lb. Capacity



400 Lb.
Capacity

*Matrix Design Group
is an authorized distributor
of CBS Equipment*

www.matrixteam.com





MODEL BD1 & BD2 PULL BEHIND BELTLINE FLINGER DUSTER DUAL- OR SINGLE-AUGER

OVERVIEW:

Matrix's pull behind beltline flinger dusters are available in a single- or dual-auger version. Both units come with a 36V, 5-HP motor and on-board batteries. These units are used for rockdusting along belt lines where width is a concern.

SPECIFICATIONS:

- Single-Auger: 36" wide x 32" high x 10' long
1,500 lb. dust capacity
- Dual-Auger: 48" wide x 32" high x 10' long
1,800 lb. dust capacity
- 8" Ground Clearance
- 18x8.50 Tires, 6-ply
- 5-HP, 36 Volt motor
- (6) 6-Volt batteries
- 20' Remote Cord for turning duster on and off from tow vehicle
- Customer to specify tow coupler
- On-board charger provided at no charge



www.matrixteam.com 

Phone: 812.490.1525 • Fax: 812.490.1582 • 3299 Tower Drive • Newburgh, Indiana 47630 • email: sales@matrixteam.com



“OEM” SCOOP FLINGER DUSTER

OVERVIEW / ORDERING:

Bucket duster parts will interchange with most manufacturers / brands.

If available when ordering, please specify:

1. Model of the scoop
2. Outside width of bucket
3. Distance between bottom of ram and floor of bucket when the blade is extended

FEATURES / SPECIFICATIONS:

- Width: 110" – 120"
- Height: 15"
- Weight: 2,000 Lbs. (Approx.)
- Hydraulics: 12-15 GPM @ 1,000 -1,500 PSI
- Matrix service and support



*Matrix Design Group
is an authorized distributor
of CBS Equipment*

www.matrixteam.com 

Phone: 812.490.1525 • Fax: 812.490.1582 • 3299 Tower Drive • Newburgh, Indiana 47630 • email: sales@matrixteam.com



PRESSURIZED POD DUSTER

OVERVIEW:


Matrix pressurized pod dusters are available in a single or dual pod version. Its powerful compressor, providing air of up to 260 CFM, can transfer rockdust up to 3,000 ft.

FEATURES / SPECIFICATIONS:

- Available in single or dual pod version
- Heights of 30" - 60" and 7' - 8' width
- Capacity of 3,000 to 10,000 lbs. per pod
- New or rebuilt
- 40 psi ASME certified pressure pod
- Compressor output of 100 – 260 CFM
- AC, DC, Hydraulic or diesel-powered
- Pods can be filled by bag, super bag or borehole
- Dust delivery from 50 – 400 lb/min
- Hose dusting or entry dusting capable
- Rail, rubber tire or skid mount frames available
- Matrix service and support

www.matrixteam.com 

Phone: 812.490.1525 • Fax: 812.490.1582 • 3299 Tower Drive • Newburgh, Indiana 47630 • email: sales@matrixteam.com



BANTAM DUSTER

OVERVIEW:

The Matrix Bantam Duster is a proven “mini” unit that is easy to use and maintain. Dusts up to 150 feet.

FEATURES / SPECIFICATIONS:

- Dual-shaft hydraulic motor
- Model 33 Blower
- Filter with synthetic washable element
- 150 Lb bolt-on hopper
- Skid frame
- Dusts up to 150 feet
- Dimensions: 4' Long X 19" Wide X 22" High

www.matrixteam.com 

Phone: 812.490.1525 • Fax: 812.490.1582 • 3299 Tower Drive • Newburgh, Indiana 47630 • email: sales@matrixteam.com